
LOVO™FC "FAST CONNECT" **CABLE SYSTEM**




Prism Lighting Group™ introduces the new and improved LOVO™FC Fast Connect Cable System for LED lighting. The FC Fast Connect Cable System offers a secure cabling connection system, using barrel end caps that are designed to be chased through the tightest openings. It has a single standardized plug design to avoid any mix-up, offering seamless Plug N' Play connections from LED light fixture to power supply and various LED controllers. The LOVO FC Cable System works with voltage range from 1 - 24Vdc and has the ability to handle more power than traditional low voltage barrel design connectors used in the industry. There are no limitations to lighting configurations!






6-way distributor(1way closed)



2-way distributor



Mini female socket



Mini male plug



*Dimensions are in Metric Build-in socket (mm/Milimeters)

INFORMATIONAL VIDEO

For more information, watch this video: https://youtu.be/gcFl-rX73hA



LOVO™FC "FAST CONNECT" **CABLE SYSTEM**



WATCH OUR VIDEO

2-WIRE FC CONNECTORS & CABLING



FC MALE TO RAW WIRE BARREL CONNECTORS

Lengths	4" (100mm)	1 Ft (300mm)
Product Number	8100-FC-M-2C-4in	8100-FC-M-2C-1ft
Type	FC-Male Connector	FC-Male Connector
Voltage Range	1-24V	1-24V
Amps	6 Amps Maximum	6 Amps Maximum
Barrel End Dimension	1.75"L x .3"Dia	1.75"L x .3"Dia



FEMALE TO RAW WIRE BARREL CONNECTORS

Lengths	4" (100mm)	1 Ft (300mm)
Product Number	8100-FC-F-2C-4in	8100-FC-F-2C-1ft
Type	FC-Female Socket	FC-Female Socket
Voltage Range	1-24V	1-24V
Amps	6 Amps Maximum	6 Amps Maximum
Barrel End Dimension	12.3"L x .4"Dia	12.3"L x .4"Dia



MALE TO FEMALE EXTENSION CONNECTOR CABLES

MALE TO TEMALE EXTENSION CONNECTOR CABLES			
Lengths	3ft (1M)	6.5ft (2M)	
Product Number	8100-FC-EXT-2C-3ft	8100-FC-EXT-2C-6.5ft	
Type	Extension Cables	Extension Cables	
Voltage Range	1-24V	1-24V	
Amps	6 Amps Maximum	6 Amps Maximum	
Barrel End Dimension	M- 1.75"L x .3"Dia	M- 1.75"L x .3"Dia	
	F -12 3"L x 4"Dia	F -12 3"L x 4"Dia	



Lengths 10ft (3M)

Product Number	8100-FC-EXT-2C-10ft
Type	Extension Cables
Voltage Range	1-24V
Amps	6 Amps Maximum
Barrel End Dimension	M- 1.75"L x .3"Dia
	F -12.3"L x .4"Dia



2-WAY MULTI-POINT CONNECTOR CABLE

2 11711 110211 1 01111 00	THILD ON ON DEE	
Product Number	8100-FC-2Y-2C	
Type	2-way Splitter	
Voltage Range	1-24V	
Amps	6 Amps Maximum	
Socket	Female Socket Inlet	
Length	18" (.5M)	



2-WAY MULTI-POINT DISTRIBUTOR BLOCK

Product Number	8100-FC-2Y-2C-BLC	
Type	Y Distributor	
Voltage Range	1-24V	
Amps	6 Amps Maximum	
Socket	2 Female ports and 1 Male port	



6-WAY MULTI-POINT CONNECTOR CABLE

Product Number	8100-FC-6Y-2C	
Type	6-way Splitter	
Voltage Range	1-24V	
Amps	6 Amps Maximum	
Socket	Female Socket Inlet	
Length	18" (.5M)	

*For more information, watch this video: https://youtu.be/gcFl-rX73hA

LOVO™FC "FAST CONNECT" **CABLE SYSTEM**



WATCH

OUR VIDEO

RGB 4 WIRE FC CONNECTORS & CABLING



MALE SOLDER TIP 4 WIRE RGB FC CONNECTORS

4" (100mm) 1 Ft (300mm) Lengths 8150-FC-M-4C-4in 8150-FC-M-4C-1ft Product Number 1-24V 1-24V Voltage Range 6 Amps Maximum 6 Amps Maximum

For RGB Flexible Strip Lighting Only



FEMALE SOLDER TIP 4 WIRE RGB FC CONNECTORS

4" (100mm) 1 Ft (300mm) Lengths Product Number 8150-FC-F-4C-4in 8150-FC-F-4C-1ft 1-24V

Voltage Range 1-24V

Amps 6 Amps Maximum 6 Amps Maximum

For RGB Flexible Strip Lighting Only



MALE TO FEMALE RGB EXTENSION BARREL CONNECTOR CABLES

Lengths 3ft (1M) 6.5ft (2M) Product Number 8150-FC-EXT-4C-3ft 8150-FC-EXT-4C-6.5ft Type RGB Extension Cables RGB Extension Cables Voltage Range 1-24V 1-24V

6 Amps Maximum Amps 6 Amps Maximum



10ft (3M) Lengths

8150-FC-EXT-4C-10ft **Product Number** RGB Extension Cables Type

Voltage Range 1-24V

6 Amps Maximum Amps



6-WAY RGB BARREL CONNECTOR SPLITTER CABLES

Product Number 8150-FC6Y-4C Type RGB 6-way Splitter Voltage Range 1-24V Amps 10 Amps Maximum

18" (500mm) Length



FC CONNECTOR SOCKET

Product Number 8100-FC-SK Type Built-In Socket

Voltage Range 1-24V

Amps 6 Amps Maximum Socket Female Socket Inlet